

# CORDLESS MATLAB BOSCH Catalogue 2021

Start a stor



## **Bosch GO 2.0 Professional** Minimum Effort, Maximum Efficiency.

## **Benefits**

- Easy to control tool stops immediately after deactivation via electronic brake
- Dual-activation mode simply push tool or press button to begin
- Mechanical clutch with 5 torque settings and maximum performance mode

#### Applications:


• Screwdriving

#### Industry:

- TV Repair
- Laptop / Desktop Repair
- Mobile Repair
- Electrician
- Furniture Installer

Scope of supply: 1 USB cable; PH1 & PH2 screw bit







## SCREWDRIVER

Technical data	Bosch GO 2.0
HSN code	84672100
Part no.	0 601 9H2 1L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5 / 2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart Stop	Yes
Tool holder	¼" Inter HEX



\*MRP is subject to change, please check box for exact MRP





## GSR 120 Li (Double Battery) Professional

Bosch Quality, High Power, Affordable Price!

## **Benefits**

- Bosch Quality at an Affordable Price
- Designed with Robust Housing and Electronic Cell Protection (ECP)

#### **Applications:**

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

#### Scope of supply:

2 x 12V 1.5 Ah Li-ion Batteries, 1 Charger, Carry Case, Accessory set, 6 metal drill bit, 4 wood drill bit, 10 screw driver bit and 1 screw driver bit holder





Technical data	GSR 120 Li
HSN code	84672900
Part no.	0 601 9G8 0F0
Battery voltage	12 V
No-load speed $(1^{st}/2^{nd})$	0 - 400 / 0 - 1500 rpm
Torque (Hard/Soft)	30 / 14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20 / 10 mm
Chuck size	10 mm



## **New!** GSR 120 Li (Single Battery) Professional

Bosch Quality, High Power, Affordable Price!

## **Benefits**

- Bosch Quality at an Affordable Price
- Designed with Robust Housing and Electronic Cell Protection (ECP)

#### **Applications:**

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply: 1 x 12V 2.0 Ah Li-ion Batteries, 1 Charger, Carry Case





MRP: ₹ 6,055





Technical data	New! GSR 120 Li
HSN code	84672900
Part no.	0 601 9G8 0F1
Battery voltage	12 V
No-load speed $(1^{st}/2^{nd})$	0 - 400 / 0 - 1500 rpm
Torque (Hard/Soft)	30 / 14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20 / 10 mm
Chuck size	10 mm



## **GSR 180 Li Professional**

More Power. More Robust.

## **Benefits**

- Bosch Quality at affordable price
- Designed with Robust Housing and Battery Cell Protection
- Motor has changeable carbon brushes for easy maintenance and serviceability
- Extends the lifetime of the motor
- Protects the Tool and Battery
- A blinking LED lets you know if the tool has been cut off to protect itself due to Electronic Cell Protection or current overload

#### **Applications:**

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

Scope of supply: 2 x 2.0 Ah Li-ion batteries; 1 charger; Carry case



## MRP: ₹ 14,580

BOSCH Professional

Technical data	GSR 180 Li
HSN code	84672100
Part no.	0 601 9F8 1K0
Battery voltage	18 V
No-load speed (1 <sup>st</sup> /2 <sup>nd</sup> )	0 - 450 / 0 - 1700 rpm
Torque (Hard/Soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel)	35 / 10 mm
Chuck size	13 mm





## **GSB 120 Kit Professional**

Use your drill driver more flexibly drive screws and drill in wood, steel and masonry.

## **Benefits**

- Flexibility in applications due to impact mechanism with single-sleeve keyless chuck for easy accessory changes and long runtime per battery charge for continuous operation
- Bosch Electronic Cell Protection (ECP) protects the battery against overload, overheating and deep discharge

#### **Applications:**

- Masonry Drilling
- Wood Drilling •
- Sheet Metal Drilling •
- Screw Driving •

#### Industry:

- Electrician
- Furniture Manufacturing •
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

#### Scope of supply:

Carry case; 1 Charger; 2 x 1.5 Ah Li-lon battery; Accessory set: 4 wood drill bits; 4 metal drill bits; 4 masonry drill bits; 10 screw driver bits; 1 screw bit holder





## MRP: ₹ 10,805





## **IMPACT DRILL**

Technical data	GSB 120 Kit
HSN code	84672100
Part no.	0 601 9G8 1K2
Battery capacity	1.5 Ah
Battery voltage	12 V
No-load speed (1 <sup>st</sup> /2 <sup>nd</sup> )	0 - 400 / 0 - 1500 rpm
Torque (Hard/Soft)	30 / 14 Nm
Impact Rate	0 - 18,750 bpm
Max. drilling (wood/steel/ masonry)	20 / 10 / 8 mm
Weight with Battery	1.1 kg





## New! GSB 180-Li Professional

More Power. More Robust.

## **Benefits**

- Bosch Quality at affordable price
- Designed with Robust Housing and Battery Cell Protection
- Motor has changeable carbon brushes for easy maintenance and serviceability
- Extends the lifetime of the motor
- Protects the Tool and Battery
- A blinking LED lets you know if the tool has been cut off to protect itself due to Electronic Cell Protection or current overload

#### Applications:

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers

#### Scope of supply: 2 x 2.0 Ah Li-ion batteries; 1 charger; Carry case



## MRP: ₹ 15,340





## **IMPACT DRILL**

Technical data	New! GSB 180-Li
HSN code	84672100
Part no.	0 601 9F8 3K0
Battery voltage	18 V
No-load speed $(1^{st}/2^{nd})$	0 - 450 / 0 - 1700 rpm
Torque (Hard/Soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling(wood/steel/ masonry)	35 / 10 / 8 mm
Chuck size	13 mm





The new 12 V impact driver/wrench with the right power for a variety of applications.

## **Benefits**

- Bosch quality at an affordable price
- Always the right power for a variety of applications with 2-level power control
- Easy handling and ergonomic design
- Compact design with insert battery

#### **Applications:**

- Screw Driving
- Nut Tightening
- Seft Topping Screw

#### Industry:

- Roofing Contractors
- Installers
- Garages

#### Scope of supply:

2 x 1.5 Ah batteries, 1 charger, 1 carry case





Professional

Technical data	New! GDR 120 Li
HSN code	84672100
Part no.	0 601 9F0 0K1
Battery capacity	2 Ah
Battery voltage	12 V
No-load speed $(1^{st}/2^{nd})$	0 - 1300 / 0 - 2600 rpm
Torque (Hard)	100 Nm
Max. screw diameter	8 mm
Rated impact rate	0 - 1900/0 - 3200 bpm
Bit holder	1/4" hexagon socket





## **GDS 250 Li Professional**

The affordable impact wrench with innovative ABR software to increase your working efficiency.

## **Benefits**

- Three times higher working efficiency than manual tool
- Tighten the bolt easily
- Long usage time
- Low total cost of ownership
- ABR (Auto Bolt Release)
- Robust front cap and gearbox design
- Carbon brush changeable
- De-bundled gearbox
- Slim grip design

#### **Applications:**

• Nut Loosening and Tightening

#### Industry:

- Garages
- Construction
- Large Fabricators

#### Scope of supply:

2 x 4.0 Ah Li-ion batteries; 1 charger; Carry case



## MRP: ₹ 26,915



## **IMPACT WRENCH**

Technical data	GDS 250 Li
HSN code	84672900
Part no.	0 601 9G6 1K0
Battery voltage	18 V
Max torque	250 Nm
No-load speed	0 - 2,400 min-1
Impact rate	0 - 3,300 bpm
Tool holder	1/2" Square
Screw size	M10 ~ M18



## **GBH 180 Li (Brushless) Professional**

Cordless hammer as powerful as corded now made affordable.

## **Benefits**

- Bosch quality at an affordable price
- High performance as fast as corded. Same impact energy, same drilling capacity and same speed as GBH 2-20
- Interchangeable carbon brush gives high serviceability

#### **Applications:**

- Concrete Drilling
- Light Chipping

#### Industry:

- Construction
- Plumber
- Electrician
- Dish TV Installer

#### Scope of supply:

2 x 4.0 Ah Li-Ion batteries; 1 charger



## MRP: ₹ 34,560



### **ROTARY HAMMER 1-2 KG**

Technical data	GBH 180 Li
HSN code	84672900
Part no.	0 611 911 1F0
Battery Voltage	18 V
No-load speed	0 - 1,800 rpm
Rated impact rate	0 - 4,550 bpm
Impact force	1.7 J
Drilling capacity	20 mm
LED light	Yes
Mode	3

9

# MAXIMUM POWER, ALL THE TIME!

8




Ø

5




# **BUILT FOR CHAMPS -**

**Bosch EC Brushless Motor** 











## **GWS 18V-10 KIT Professional**

Heavy duty cordless small angle grinder.

## **Benefits**

- The next level of power & run time new brushless motor and ProCORE18V batteries.
- Premium user protection Drop Control, Fast Brake and KickBack Control
- Premium tool control keyless protective cover, keyless clamping nut (M14 only), slimmer grip design. New friendly switch button design.

#### **Applications:**

- Metal Grinding (burrs and welds)
- Metal Cutting (bars, pipes, angles)

#### Industry:

- Construction
- Fabrication
- Sheet Metal working

Scope of supply: 2 x 5.0 Ah Battery; 1 Charger; Handle; Keyless protection guard; Clamping unit



## **ANGLE GRINDER**

Technical data	GWS 18V 10 KIT
HSN code	84672900
Part no.	0 601 9J4 0K1
Battery voltage	18 V
Grinding spindle thread	M 10
No-load speed	9000 rpm
Weight w/o battery	2.0 kgs.





## Impressive features, powerful results.

## **Benefits**

- High-end features within reach when screwdriving and drilling
- Brushless EC motor for longer tool life
- High torque and rapid drilling speeds for quick and powerful results

#### **Applications:**

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Furniture Manufacturing
- Modular Kitchen Installers
- Event Installers
- Interior Decorators
- Panel Manufactures
- HSRP Installers



## MRP: ₹ 15,600



Technical data	GSR 12V-30
HSN code	84672100
Part no.	0 601 9G9 0K0
Battery capacity	2 Ah
Battery voltage	12 V
No-load speed $(1^{st}/2^{nd})$	0 - 420 / 0 - 1600 rpm
Torque (hard/soft)	30 / 18 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	20 / 10 mm
Chuck size	10 mm



## **GDR 12 V-EC Professional**

More lifetime and higher precision while being as compact as ever.

## **Benefits**

- 100% longer lifetime due to brushless EC motor technology and an optimised impact mechanism
- Greater accuracy when screwdriving: 2-stage power control to prevent overtightening of small screws and a max. Torque of 110 Nm
- Longer runtime due to 2.5 Ah battery packs
- LED ring light for illuminating the work area even in dark places
- Considerably longer runtime due to maximum efficiency and Bosch battery technology
- Very compact design for perfect handling, even in the tightest spaces and overhead

#### **Applications:**

- Screw Driving
- Nut Tightening
- Seft Topping Screw

#### Industry:

- Roofing Contractors
- Installers
- Garages

Scope of supply: Carry case; 2 x 2.0 Ah batteries; 1 charger



1 charger



## MRP: ₹ 22,470



## **IMPACT DRIVER**

Technical data	GDR 12 V-EC
HSN code	84672100
Part no.	0 601 9E0 0F6
Battery voltage	12 V
No-load speed $(1^{st}/2^{nd})$	1200 / 2600 rpm
Torque (Hard)	110 Nm
Max. screw diameter	8 mm
Rated impact rate	0 - 3100 bpm
Bit holder	1/4" internal hexagon



## **GDX 18 V-EC Professional**

The only impact wrench on the market with a dual bit holder (compatible with 1/2" and 1/4" bits). High torque and control for the toughest applications.

## **Benefits**

- High torque and control for the toughest applications
- Power control (3 settings)
- LED light
- Brushless EC motor
- COOLPACK battery protection system
- Extreme Tool Protection (ETP): Protects against debris
- Electronic Cell Protection (ECP)

#### **Applications:**

- Screw Driving
- Nut Tightening

#### Industry:

- Construction
- Garages
- Installers

#### \*Product available till stock last

Scope of supply: 2 x 4 Ah Li-ion batteries; 1 charger; Carry case



MOTOR



Technical data	GDX 18 V-EC
HSN code	84672900
Part no.	0 601 9B9 1F0
Battery voltage	18 V
Torque max.	180 Nm
No-load speed	0 - 2.800 rpm
Rated impact rate	0 - 3200 bpm
Bit holder	1/4" Internal Hex socket +
	1/2" External square







## **GDX 18V-200 C Professional**

High power in compact size.

## **Benefits**

- Ready for all applications, thanks to 2 in 1 bit holder: 1/4" internal hex and 1/2" square drive
- Powerful use even in hard to reach areas thanks to best head length to torque ratio
- Bluetooth connectivity module for tool feedback, soft start and service information via mobile device

#### **Applications:**

- Screw Driving
- Nut Tightening

#### Industry:

- Construction
- Garages
- Installers

Scope of supply: Carry case;2 x 4 Ah Li-ion batteries; 1 charger;



## MRP: ₹ 37,790



### **IMPACT WRENCH**

Technical data	GDX 18V-200 C
HSN code	84672900
Part no.	0 601 9G4 2F0
Battery voltage	18 V
Torque max.	3 Nm
No-load speed	0- 3.400 rpm
Rated impact rate	0- 4.000 bpm
Bit holder	1/4" internal hexagon and 1/2" external square







## GDS 18 V-EC 250 Professional

The new GDS with EC brushless motor: More power, more runtime, more lifetime.

## **Benefits**

- Driven by Bosch EC motor, for longer runtime & lifetime
- Compact size and light weight for easy handling
- Slim and ergonomic handle design for working free of fatigue
- 250 Nm torque for heavy duty application
- Easy maintenance for high wear and tear components
- LED design provides bright working environment
- Belt grip provides high mobility

#### **Applications:**

Nut Loosening and Tightening

#### Industry:

- Solar Power
- Automotive
- Mobile Tower Installers
- Garages
- Construction
- Large Fabricators



#### Scope of supply: 2 x 4 Ah Li-ion batteries; 1 charger; Carry case

## MRP: ₹ 44,610





Technical data	GDS 18 V-EC 250
HSN code	84672100
Part no.	0 601 9D8 1F0
Battery voltage	18 V
No-load speed	0 - 2.400 rpm
Length	163 mm
Height	245 mm
Weight incl. battery	1.85 kgs.
Torque, max. (hard screwdriving applications)	250 Nm
Rated impact rate	0 - 3400 bpm
Toolholder	1/2" external square
Screw dia.	M 10 - M 18



## **GSR 18 V-50 Professional** Tough brushless motor for heavy-duty jobs

## **Benefits**

- Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- Intelligent brushless motor for efficiency and long lifetime
- Flexible Power System works with Bosch batteries and chargers of the same voltage

#### **Applications:**

- Wood drilling
- Sheet Metal Drilling
- Screw Driving

#### Industry:

- Construction
- Installers & Assembly workers
- Furniture workers
- Electricians
- Interior Decorators
- Joiners

Scope of supply: Carry case; 1 charger; 2 x 2.0 Ah Li-ion batteries

## MRP: ₹ 21,575



#### **IMPACT WRENCH**

Technical data	GSR 18 V-50
HSN code	84672100
Part no.	0 601 9H5 0K0
Battery voltage	18 V
No-load speed	0 - 460 / 0 - 1800 rpm
Torque, max. (hard/soft)	50 / 28 Nm
Max. drilling (wood/steel)	35 / 13 mm
Max. screw diameter	10 mm





## **GDS 18V-400 Professional**

Bosch's Powerful 400Nm Wrench, where Power & Durability Comes Together

## **Benefits**

- Max torque of 400Nm to tighten and untighten up to M20 bolts and 30mm nuts
- Improved lifetime for critical internal components
- ABR makes disassembling easier by ensuring tool is automatically stop when nuts are loosen

#### **Applications:**

- Nut Tightening and Untightening
- Screw Driving

#### Industry:

- Auto Repairer
- Automobile Installer
- Constructor
- Scaffolder
- Rack Installer

Scope of supply: Carry case; 1 charger; 2 x 4.0 Ah Li-ion batteries



## **IMPACT WRENCH**

Technical data	GDS 18V-400
HSN code	84672900
Voltage	18 V
Max Declared Torque	400 Nm
No. Load Speed	0 - 2,500 rpm
Impact Rate	0 - 3,700 bpm
Head Length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5.0Ah)	1.85 kg

COMING

SOON!



## **GDS 18V-1050 H Professional**

Full Power, No Cord: High Torque Impact Wrench with Biturbo Brushless Power

## **Benefits**

- New high performance brushless motor maximizes the full potential of the ProCORE 18V batteries
- Extreme power you can feel for tough tightening/ breakaway applications
- Three speed settings provides excellent control over speed/torque for high versatility

#### **Applications:**

- Nut Tightening and Untightening
- Screw Driving

#### Industry:

- Railway Maintenance
- Metal Commercial Construction
- Metal Industrial Assembling
- Truck Maintenance

Scope of supply: Carry case; 1 charger; 2 x 5.0 Ah Li-ion batteries



## **IMPACT WRENCH**

Technical data	GAL 18 V-40
HSN code	85044030
Voltage	18 V
Max tightening torque	1050 Nm
Max breakaway torque	1700 Nm
No. Load Speed	0-800 / 1200 / 1750 rpm
Impact Rate	0-1600 / 2400 / 2600 bpm
Torque	0.350 / 750 / 1050
Bolt diameter	M10-M24
Weight (w/o battery)	2.9 kg





# **BUILT FOR CHAMPS** Bosch Battery Technology





196

e



## **GBA 12 V 2.0 Ah O-B Professional** The compact 12 volt batteries with 2.0 Ah.

## **Benefits**

- Min. 50% more run time compared to existing 1.3 Ah battery by using high quality Li-lon cells
- This battery is the smallest 2.0 Ah power tool battery in the market with a weight of just 175g
- Flexible Power System: 100% compatible to all Bosch Blue Li-Ion tools and chargers within same voltage class

#### Suitable for:

• 10.8 V • 12.0 V Bosch cordlesss tools range (Tubular battery version)

### MRP: ₹ 2,615



Technical data	GBA 12 V 2.0 Ah O-B
HSN code	85076000
Part no.	1 600 A00 F6X
Battery capacity	2 Ah
Battery voltage	12 V
Weight	175 g
Variable (LxWxH)	51x48x85 mm





## **GBA 18 V 2.0 Ah Professional** The lightweight 18 volt compact battery with 2.0 Ah and COOLPACK technology.

## **Benefits**

- COOLPACK technology for up to 100% longer lifetime compared to battery without COOLPACK
- Lightweight for even more comfortable work, especially in overhead applications
- Flexible Power System: 100% compatible with all Bosch Blue Li-Ion tools and chargers within same voltage class
- Extremely robust: fully functional even after a 3-m drop onto concrete

Suitable for: • All 18 V Bosch cordlesss tools range

## MRP: ₹ 4,900



Technical data	GBA 18 V 2.0 Ah
HSN code	85076000
Part no.	1 600 A00 1CG
Battery capacity	2 Ah
Battery voltage	18 V
Length	113 mm
Width	75 mm
Height	40 mm
Weight	300 g





## **GBA 18 V 4.0 Ah M-C Professional** Smallest battery pack of its class in the market.

## **Benefits**

- The high-endurance 18 Volt XL battery with 4.0 Ah and COOLPACK technology
- Up to 65% more run time compared to existing 3.0 Ah battery using high quality Li-lon cells
- Bosch COOLPACK manages the temperature of the battery cells actively and reduces heat-up which is the main killer for every battery cell
- 18 V 4,0 Ah batteries have the same weight as existing Bosch 3.0 Ah batteries and are the lightest in the market
- LED Indicator for battery stage of charge
- Flexible Power System: 100% compatible to all Bosch Blue Li-Ion tools and chargers within same voltage class
- Wireless charging technology for continuous and uninterrupted work



Suitable for: • All 18 V Bosch cordlesss tools range

## MRP: ₹ 7,440



Technical data	GBA 18 V 4.0 Ah M-C
HSN code	85076000
Part no.	1600 A00 163
Battery capacity	4 Ah
Battery voltage	18 V
Length	115 mm
Width	74 mm
Height	56 mm
Weight	600 g



## **GAL 12 V-40 Professional** The 12 V fast charger.

## **Benefits**

- Rapid charging speed for all 12 V batteries, enables loading 12 V 2.0 Ah batteries from 0 to 80% in 24 min.
- Modern and compact design
- Compatible with all Bosch Professional 12 V batteries (Flexible Power System)

### MRP: ₹ 2,980



Technical data	GAL 12 V-40
HSN code	85044030
Part no.	1 600 A01 B8X
Charge current A	4
Charging time min	24 min
Input voltage(s) V	230
Model	Li-Ion quick charger
Weight, approx.	0.4 kg



## GAL 18 V-40 Professional The compact 18 V charger

## **Benefits**

- Compact: Due to its modern design it is very compact
- Optimised charging speed: Optimised charging speed for compact 18 V batteries as it charges an 18 V 2.0 Ah battery in 24 mins to 80% and for 18 V 4.0 Ah battery in 48 mins to 80%
- Professional 18V System: 100% compatible with all Bosch Professional 18 V batteries

### MRP: ₹ 4,600



Technical data	GAL 18 V-40
HSN code	85044030
Part no.	1 600 A01 9RJ
Battery charging voltage	14.4 – 18 V
Charge current	4 A
Charg. time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Weight, approx.	550 g

Bosch Limited, Power Tools Division PA-AT Complex, Hosur Road, Adugodi Bangalore - 560030 f www.facebook.com/BoschPTIndia



Customer Contact Center Email

Email: bpt@in.bosch.com www.bosch-pt.co.in